

Engine	KIPOR 186F1E
Rated Power	5.7 kW @ 3,000 rpm
Vibration Frequency Range	55 Hz
Centrifugal Force Range	30 kN
Working Width	750 mm
Operating Mass	860 kg

# 6009 ROLLER



TOUGH WORLD. TOUGH EQUIPMENT.

# 6009 SPECIFICATIONS >>>

ENGINE	
Emission Regulation	Tier II
Make	KIPOR
Model	186F1E
Rated Power	5.7 kW @ 3,600 rpm
Peak Torque	18.7 N · m
Number of Cylinders	1
Aspiration	Natural
Cooling Type	Air-cooled

ELECTRICAL SYSTEM	
System Voltage	12 V

DRIVE TRAIN	
Transmission Type	Hydrostatic
Maximum Speed, Fwd	3.6 km/h

BRAKES	
Service Brake Type	Hydraulic
Service Brake Actuation	Hydraulic
Parking Brake Actuation	Mechanical apply; Hydraulic release

PERFORMANCE	
Static Linear Front Drum Load	52 N/cm
Number of Vibrating Drums	2
Nominal Amplitude Range	0.35 mm
Vibration Frequency Range	55 Hz
Centrifugal Force Range	30 kN
Number of Amplitude Settings	2

OPERATING MASS	
Operating Mass	860 kg
Mass on Steering Drum	400 kg
Mass on Driving Drum	460 kg

SERVICE CAPACITIES	
Fuel Tank	5.5 L
Engine Oil	1.65 L

DIMENSIONS	
A Overall Length	2,541 mm
B Overall Width	812 mm
C Overall Height	1,238 mm
E Wheelbase	590 mm
F Drum Diameter	426 mm

